

Enhancing Healthcare Capacity for Arthritis Management: A Comprehensive Approach to Training Healthcare Workers in West Africa

Abaho Areeba Fortunate

Department of Pharmacy Kampala International University Uganda
Email address: fortunate.abaho@studwc.kiu.ac.ug

ABSTRACT

Arthritis, encompassing a spectrum of musculoskeletal disorders including osteoarthritis (OA), rheumatoid arthritis (RA), and other inflammatory conditions, is increasingly recognized as a significant public health challenge in West Africa. Despite its rising prevalence, the region faces substantial gaps in healthcare capacity, including limited numbers of trained healthcare professionals, insufficient diagnostic infrastructure, and inadequate patient education. This review explores the multifaceted approach needed to enhance healthcare capacity for arthritis management, with a focus on training healthcare workers. Emphasis is placed on evidence-based education, interdisciplinary collaboration, community-based interventions, and policy frameworks. Strategies to strengthen diagnostic and therapeutic competencies, promote continuous professional development, and integrate digital health tools are discussed. Strengthening healthcare capacity in West Africa is critical to improve patient outcomes, reduce disability, and enhance quality of life for individuals living with arthritis.

Keywords: Arthritis, West Africa, healthcare training, capacity building, rheumatoid arthritis, osteoarthritis, musculoskeletal disorders, healthcare workforce development

INTRODUCTION

Arthritis is a collective term for a range of musculoskeletal disorders that primarily affect the joints, causing pain, stiffness, swelling, and progressive functional impairment. Globally, arthritis is recognized as a major contributor to disability and reduced quality of life, affecting millions of individuals across both high- and low-income settings [1]. The condition encompasses diverse forms, including osteoarthritis (OA), rheumatoid arthritis (RA), gout, juvenile idiopathic arthritis, and other inflammatory and autoimmune conditions. Osteoarthritis, a degenerative disorder characterized by cartilage breakdown and joint deterioration, is the most prevalent form, often associated with aging, obesity, and joint injury [2]. Rheumatoid arthritis, an autoimmune inflammatory disorder, leads to joint destruction, systemic complications, and significant disability if not managed promptly and appropriately. Other forms of arthritis, including psoriatic arthritis and ankylosing spondylitis, also contribute to the burden, although data on their prevalence remain limited in low-resource settings such as West Africa [3].

West Africa, comprising countries such as Nigeria, Ghana, Senegal, Côte d'Ivoire, and Burkina Faso, is undergoing significant demographic, epidemiological, and lifestyle transitions. The population is rapidly urbanizing, life expectancy is increasing, and lifestyle patterns are shifting toward sedentary behaviors, unhealthy diets, and higher rates of obesity [4]. These changes are associated with a growing prevalence of non-communicable diseases (NCDs), including musculoskeletal disorders like arthritis. Recent studies estimate that the prevalence of OA and RA in some West African populations ranges from 2% to 10%, though underdiagnosis is common due to limited healthcare access and awareness [5]. The burden of arthritis is compounded by socioeconomic challenges, including poverty, limited health insurance coverage, and inadequate healthcare infrastructure, which impede timely diagnosis and treatment [6].

Despite these trends, healthcare systems in many West African countries remain predominantly oriented toward infectious disease management. Rheumatology services are scarce, with few trained specialists, inadequate diagnostic tools such as imaging and laboratory facilities, and limited access to essential medications including disease-

modifying antirheumatic drugs (DMARDs) and biologics [7]. Furthermore, healthcare workers at primary and secondary care levels often lack standardized training in musculoskeletal assessment, diagnosis, and management. Community health workers, nurses, and general practitioners may encounter arthritis patients regularly but may be ill-equipped to recognize early symptoms, provide evidence-based management, or educate patients on self-care strategies [8].

Training healthcare workers is therefore a critical component of addressing the rising burden of arthritis in West Africa. A well-trained healthcare workforce can improve early detection, ensure appropriate referrals, optimize therapeutic interventions, and provide education on lifestyle modifications and self-management [9]. Moreover, interdisciplinary collaboration between physicians, physiotherapists, occupational therapists, and community health workers is essential to provide holistic care that addresses both physical and psychosocial aspects of arthritis [10]. Arthritis is an increasingly prevalent public health concern in West Africa, yet the region faces critical gaps in healthcare capacity that hinder effective management. Key challenges include a shortage of trained healthcare professionals such as rheumatologists, physiotherapists, and specialized nurses, resulting in delayed diagnoses and suboptimal care [11]. Diagnostic infrastructure is often inadequate, with limited access to imaging modalities and laboratory testing necessary to distinguish inflammatory arthritis from other musculoskeletal conditions [12]. Additionally, healthcare workers frequently rely on ad hoc training or outdated guidelines, constraining their ability to deliver evidence-based interventions. Patients are also affected by insufficient education and low community awareness, which often leads to late presentation, advanced disease, and higher disability, further exacerbating the economic and social burden [13]. Moreover, digital health tools, telemedicine, and electronic medical records remain underutilized, limiting remote consultations, monitoring, and health education. Addressing these gaps through targeted healthcare worker training represents a strategic approach to improving arthritis outcomes. This review aims to assess the current healthcare workforce landscape, identify training deficiencies, evaluate evidence-based educational interventions including interdisciplinary education, community engagement, and digital health integration and propose strategies to strengthen competencies, enhance early diagnosis, and optimize patient outcomes. It also seeks to provide policy recommendations for sustainable capacity-building initiatives. The findings are significant for policymakers, healthcare institutions, and professional associations by informing curriculum development, continuous professional education, and resource allocation. Emphasizing the role of technology and community-based approaches, this review highlights pathways to improve functional independence, reduce disability, and enhance quality of life for individuals living with arthritis. Ultimately, comprehensive workforce training offers a critical means of expanding access to timely, patient-centered, and evidence-based arthritis care across West Africa.

Epidemiology and Burden of Arthritis in West Africa

Arthritis is an increasingly recognized public health concern in West Africa, though comprehensive epidemiological data remain limited. Current studies indicate that rheumatoid arthritis (RA) affects approximately 0.3–1.2% of adults, whereas osteoarthritis (OA) is more prevalent, especially among older populations [14]. The risk factors for arthritis in the region include genetic predisposition, obesity, occupational strain, and infections that may lead to post-infectious arthritis. Beyond its health implications, arthritis imposes substantial economic and social burdens, including reduced productivity, disability, and increased healthcare costs, which strain both individuals and health systems. A significant challenge in managing arthritis is delayed diagnosis, often stemming from a shortage of trained healthcare professionals, frequent misdiagnoses, and widespread reliance on traditional medicine [15]. This delay exacerbates disease progression, reduces quality of life, and increases long-term costs. Addressing these challenges requires strengthening the healthcare workforce, improving diagnostic capacity, and promoting awareness of arthritis among both healthcare providers and the general population. Early detection and timely intervention are critical to mitigating the personal, societal, and economic impacts of arthritis in West Africa, highlighting the urgent need for targeted public health strategies and investment in musculoskeletal health services [16].

Gaps in Healthcare Capacity

Healthcare systems in West Africa face significant gaps that hinder effective arthritis management. One major challenge is the severe shortage of trained professionals; most countries have fewer than one rheumatologist per million people, and allied health support is similarly scarce [17]. Compounding this, formal training opportunities in musculoskeletal diseases are limited, leaving many general practitioners and nurses without the necessary skills to recognize early-stage arthritis. Diagnostic capabilities are also constrained, as access to essential imaging, laboratory tests, and standardized assessment tools is often restricted, undermining accurate diagnosis and effective monitoring of treatment. Additionally, care models are fragmented, with arthritis management largely concentrated in tertiary hospitals and minimal integration into primary care systems, limiting accessibility for most patients [18]. Public awareness is another critical gap, as low knowledge of arthritis symptoms and treatment options among communities contributes to delays in seeking care, worsening disease outcomes. Collectively, these workforce

shortages, training deficiencies, diagnostic limitations, fragmented care, and low public awareness create a systemic barrier to timely and effective arthritis management in the region. Addressing these gaps is essential to improve patient outcomes, reduce disease burden, and strengthen healthcare capacity for musculoskeletal conditions in West Africa.

Comprehensive Training Approaches for Healthcare Workers

Enhancing healthcare capacity for musculoskeletal and rheumatologic conditions requires comprehensive training strategies targeting multiple levels of the health workforce. Formal medical education is critical, with early integration of musculoskeletal medicine and rheumatology into undergraduate curricula for medical, nursing, and physiotherapy students, complemented by postgraduate residency and fellowship programs to develop specialized expertise [19]. Continuous professional development (CPD) further strengthens skills through workshops, short courses, and online e-learning platforms, ensuring access to training even in remote regions. Task-shifting and interdisciplinary approaches expand reach and efficiency; training community health workers to recognize early arthritis symptoms and provide patient education can reduce diagnostic delays, while collaborative training of physicians, physiotherapists, occupational therapists, and nurses fosters cohesive, team-based care. Digital health tools are increasingly essential, with telemedicine enabling remote consultations, mentoring, and continuing education for healthcare workers in underserved areas. Mobile applications for patient monitoring and adherence tracking not only support patient care but also enhance healthcare workers' practical competencies [20]. Together, these multi-pronged strategies formal education, CPD, task-shifting, interdisciplinary collaboration, and digital health integration create a robust framework to strengthen healthcare delivery, improve early detection and management of rheumatologic conditions, and build sustainable capacity in both urban and resource-limited settings.

Implementation Challenges

Implementation of musculoskeletal training programs faces several significant challenges that limit their effectiveness and sustainability. One major barrier is resource limitations, as financial constraints often hinder the establishment of programs and restrict access to essential diagnostic tools and materials necessary for practical training. Additionally, brain drain poses a critical problem, with trained professionals frequently migrating to high-income countries in search of better opportunities, leaving local healthcare systems understaffed and undermining capacity-building efforts [21]. Cultural beliefs also influence program outcomes, as reliance on traditional medicine may conflict with modern musculoskeletal practices, necessitating culturally sensitive education and community engagement to encourage acceptance of evidence-based approaches. Furthermore, policy gaps exacerbate these challenges, as the absence of government support for standardized training curricula, professional certification, and continuous professional development limits the long-term sustainability of programs. Together, these factors create a complex environment in which musculoskeletal training initiatives must operate, requiring coordinated efforts from policymakers, educators, and healthcare institutions to address financial, human resource, cultural, and regulatory obstacles in order to achieve meaningful improvements in musculoskeletal care [22].

Policy and Strategic Recommendations

To strengthen healthcare capacity in musculoskeletal care, several strategic measures are essential. First, national training programs should be established with standardized curricula and incentives to encourage specialization in musculoskeletal health, ensuring a skilled workforce capable of addressing the growing burden of these conditions. Second, integrating musculoskeletal training into primary healthcare settings is critical for promoting early diagnosis and facilitating community-based management, thereby improving patient outcomes and reducing the strain on specialized services. Third, fostering public-private partnerships with non-governmental organizations, academic institutions, and international bodies can enhance resource mobilization, knowledge sharing, and program sustainability, creating a more collaborative and well-supported healthcare system [23]. Finally, implementing robust monitoring and evaluation mechanisms is vital to assess training effectiveness, identify gaps, and ensure alignment with national healthcare needs. By systematically addressing workforce development, community integration, collaborative engagement, and performance evaluation, these strategic recommendations aim to create a comprehensive framework for strengthening musculoskeletal care. Collectively, these measures can improve accessibility, quality, and efficiency of healthcare services, ultimately enhancing patient care and supporting long-term health system resilience.

Future Directions

Future directions in addressing arthritis care in West Africa should prioritize a multifaceted approach that strengthens research, clinical practice, workforce capacity, and technological integration. Expanding research on arthritis prevalence is essential to understand the regional burden of the disease and to identify gaps in service delivery [24]. Alongside this, there is a critical need to develop region-specific clinical guidelines and protocols tailored to local contexts, ensuring accurate diagnosis, effective management, and culturally appropriate care. Leveraging digital technologies offers promising avenues to enhance healthcare delivery, including remote training for healthcare professionals, virtual patient follow-up, and improved inter-professional communication, particularly

in areas with limited access to specialist care. Additionally, strategies to retain healthcare workers are vital to mitigate the ongoing challenge of brain drain, which threatens the sustainability of skilled medical personnel in the region. By focusing on these priorities, future efforts can strengthen the overall capacity of healthcare systems to manage arthritis effectively, improve patient outcomes, and ensure that interventions are both evidence-based and contextually relevant [25]. Integrating research, technology, and workforce retention will be key to building a resilient, responsive, and regionally adapted approach to arthritis care across West Africa.

CONCLUSION

In conclusion, enhancing healthcare capacity for arthritis management in West Africa requires a comprehensive, multi-level approach that addresses the critical gaps in workforce training, diagnostic infrastructure, and community engagement. Strengthening formal education, continuous professional development, and interdisciplinary collaboration ensures that healthcare workers are equipped with the knowledge and skills necessary to provide timely and evidence-based care. Integration of digital health tools and task-shifting strategies further expands access to specialist support and patient monitoring, particularly in underserved areas. Addressing implementation challenges such as resource limitations, cultural barriers, and workforce retention is essential for sustainability. Policy frameworks that prioritize standardized training, primary care integration, and public-private partnerships can provide a supportive environment for these interventions. Ultimately, investing in a well-trained, resilient healthcare workforce will improve early detection, optimize treatment outcomes, reduce disability, and enhance the quality of life for individuals living with arthritis, positioning West Africa to meet the growing burden of musculoskeletal diseases effectively.

REFERENCES

- 1.Langworthy, M., Dasa, V., Spitzer, A.I.: Knee osteoarthritis: disease burden, available treatments, and emerging options. *Therapeutic Advances in Musculoskeletal*. 16, 1759720X241273009 (2024). <https://doi.org/10.1177/1759720X241273009>
- 2.Eakin, G.S., Amodeo, K.L., Kahlon, R.S.: Arthritis and its Public Health Burden. *Dela J Public Health*. 3, 36–44 (2017). <https://doi.org/10.32481/djph.2017.03.006>
- 3.Wu, D., Luo, Y., Li, T., Zhao, X., Lv, T., Fang, G., et al: Systemic complications of rheumatoid arthritis: Focus on pathogenesis and treatment. *Front Immunol*. 13, 1051082 (2022). <https://doi.org/10.3389/fimmu.2022.1051082>
- 4.Angell, B., Sanuade, O., Adetifa, I.M.O., Okeke, I.N., Adamu, A.L., Aliyu, M.H., et al: Population health outcomes in Nigeria compared with other west African countries, 1998–2019: a systematic analysis for the Global Burden of Disease Study. *Lancet*. 399, 1117–1129 (2022). [https://doi.org/10.1016/S0140-6736\(21\)02722-7](https://doi.org/10.1016/S0140-6736(21)02722-7)
- 5.Tushingam, S., Cottle, J., Adesokan, M., Ogwumike, O.O., Ojagbemi, A., Stubbs, B., et al: The prevalence and pattern of comorbid long-term conditions with low back pain and osteoarthritis in low- and middle-income countries: a systematic review and meta-analysis. *International Journal of Health Promotion and Education*. 0, 1–25. <https://doi.org/10.1080/14635240.2024.2332911>
- 6.Leifer, V.P., Katz, J.N., Losina, E.: The burden of OA-health services and economics. *Osteoarthritis and Cartilage*. 30, 10–16 (2022). <https://doi.org/10.1016/j.joca.2021.05.007>
- 7.Nicholas, A., Alare, K., AbdulBasit Opeyemi, M., Oluwatosin, A.: The outlook of rheumatological care in Africa: Current state, challenges, and recommendation. *Ann Med Surg (Lond)*. 82, 104689 (2022). <https://doi.org/10.1016/j.amsu.2022.104689>
- 8.Dawod, M.S., Alswerki, M.N., Alelaumi, A.F., AlSamhori, J.F., Rahhal, R.J., Khraisat, L., et al.: Evaluation of musculoskeletal complaints, treatment approaches, and patient perceptions in family medicine clinics in a tertiary center in Jordan: a cross-sectional study. *BMC Prim Care*. 26, 16 (2025). <https://doi.org/10.1186/s12875-025-02715-2>
- 9.Uthman, I., Almoallim, H., Buckley, C.D., Masri, B., Dahou-Makhloufi, C., El Dershaby, Y., et al.: Nurse-led care for the management of rheumatoid arthritis: a review of the global literature and proposed strategies for implementation in Africa and the Middle East. *Rheumatol Int*. 41, 529–542 (2021). <https://doi.org/10.1007/s00296-020-04682-6>
- 10.Primdahl, J., Bremander, A., Hendricks, O., Østergaard, M., Latocha, K.M., Andersen, L., et al.: Development of a complex Interdisciplinary Nurse-coordinated SELF-MANagement (INSELMA) intervention for patients with inflammatory arthritis. *BMC Health Serv Res*. 24, 87 (2024). <https://doi.org/10.1186/s12913-023-10463-1>
- 11.Murayire, J., Neil, K.L., Twagirumukiza, E., Sebera, E., Nkeshimana, M., Abebe, Z., et al.: Strengthening rheumatology services: Rwanda's path to comprehensive training and care. *Rheumatol Adv Pract*. 9, rkaf071 (2025). <https://doi.org/10.1093/rap/rkaf071>

12. Kondo, Y., Kaneko, Y., Takeuchi, T.: Differential Diagnosis of Inflammatory Arthritis from Musculoskeletal Ultrasound View. *Rheumatol Immunol Res.* 3, 54–60 (2022). <https://doi.org/10.2478/rir-2022-0010>
13. Link, A., Okwir, M., Iribarren, S., Meya, D., Bohjanen, P.R., Kasprzyk, D.: Lack of education, knowledge, and supplies are barriers to cryptococcal meningitis care among nurses and other healthcare providers in rural Uganda: A mixed methods study. *Nurse Educ Today.* 128, 105873 (2023). <https://doi.org/10.1016/j.nedt.2023.105873>
14. Armin R, Fisher S I (2018). Lupus Erythematosus Cell. *Arthritis & Rheumatology*, 70, (7), 1101. DOI 10.1002/art.40489
15. Su, Q.-Y., Yang, L., Qi, X.-Y., Wang, M.-Y., Cheng, J.-W., Niu, H., Zhang, S.-X.: Frontiers | Global, regional, and national burdens of rheumatoid arthritis among people aged 60 years and older from 1990 to 2021: a trend analysis for the Global Burden of Disease Study 2021. <https://doi.org/10.3389/fpubh.2025.1527680>
16. Ugwu, O. P. C., Alum E. U Nutritional Strategies for Rheumatoid Arthritis: Exploring Pathways to Better Management. *INOSR Scientific Research.* 2023; 10(1):18-26. <https://doi.org/10.59298/INOSRSR/2023/3.2.47322>
17. Dey, D., Bobade, R., Katso, B., Issaka, S., Charis, A., Can Tamakloe, A.A., Narh, P.: Frontiers | Enhancing systemic lupus erythematosus care and outcomes through innovative interventions by the rheumatology initiative (tRi) in Ghana. <https://doi.org/10.3389/flupu.2024.1462320>
18. Fasina, A.A., Dean, A.J., Panebianco, N.L., Shofer, F.S., Ali, O., Yahya, M., et al: Evaluation of Diagnostic Imaging Capacity and the Role for Point-of-Care Ultrasound (POCUS) within the Zanzibar Health System. *POCUS J.* 6, 45–50. <https://doi.org/10.24908/pocus.v6i1.14763>
19. Ibiam, U. A., Alum E. U., Ugwu, O. P. C. A Comprehensive Review of Treatment Approaches and Perspectives for Management of Rheumatoid Arthritis. *INOSR Scientific Research.* 2023; 10(1):12-17. <https://doi.org/10.59298/INOSRSR/2023/2.2.13322>
20. Ezeamii, V.C., Okobi, O.E., Wambai-Sani, H., Perera, G.S., Zaynieva, S., Okonkwo, C.C., et al.: Revolutionizing Healthcare: How Telemedicine Is Improving Patient Outcomes and Expanding Access to Care. *Cureus.* 16, e63881. <https://doi.org/10.7759/cureus.63881>
21. Ebeye, T., Lee, H.: Down the brain drain: a rapid review exploring physician emigration from West Africa. *Global Health Research and Policy.* 8, 23 (2023). <https://doi.org/10.1186/s41256-023-00307-0>
22. Giovanelli, L., Rotondo, F., Fadda, N.: Management training programs in healthcare: effectiveness factors, challenges and outcomes. *BMC Health Services Research.* 24, 904 (2024). <https://doi.org/10.1186/s12913-024-11229-z>
23. Alope, C., Ibiam, U. A., Obasi, N. A., Orji, O. U., Ezeani, N. N., Aja, P. M., et al. Effect of ethanol and aqueous extracts of seed pod of *Copaifera salikounda* (Heckel) on complete Freund's adjuvant-induced rheumatoid arthritis in rats. *J Food Biochem.* 2019 Jul;43(7):e12912. doi: 10.1111/jfbc.12912. Epub 2019 May 23. PMID: 31353723.
24. Babatunde, O.O., Adetunji, O., Alonge, I., Owoyemi, T., Ayinmode, E., Ogunbanjo, A., et al.: Process and feasibility of implementing guideline recommendations for the care of osteoarthritis in West Africa. *BMJ Glob Health.* 10, e018714 (2025). <https://doi.org/10.1136/bmjgh-2024-018714>
25. Ibiam U A, Ugwuja E I, Alum E. U., Ezeani N. N, Ugwu O P C, Alope C, et al (2022). Antioxidant effect of *Buchholziacoriacea* ethanol leafextract and fractions on Freund's adjuvant-induced arthritis in albino rats: a comparative study. *Slovenian Veterinary Research.* 2022; 59 (1): 31–45. doi: 10.26873/svr-1150-2022.

CITE AS: Abaho Areeba Fortunate (2025). Enhancing Healthcare Capacity for Arthritis Management :A Comprehensive Approach to Training Healthcare Workers in West Africa. IDOSR JOURNAL OF SCIENTIFIC RESEARCH 10(3):133-137. <https://doi.org/10.59298/IDOSRJSR/2024/10.3.133137>