

<https://doi.org/10.59298/NIJRMS/2026/7.2.5255>

# The Role of Community Support Groups in Arthritis Management in Uganda: A Review

Asiimawe Masika Agnovia

Department of Clinical Medicine and Dentistry Kampala International University Uganda  
Email: [agnovia.asiimawe@studwc.kiu.ac.ug](mailto:agnovia.asiimawe@studwc.kiu.ac.ug)

## ABSTRACT

Arthritis is a prevalent condition in Uganda, particularly among the elderly, with osteoarthritis (OA) and rheumatoid arthritis (RA) being the most common types. These conditions contribute significantly to chronic pain, disability, and reduced quality of life. Despite the importance of medical treatments, community support groups have emerged as a crucial intervention in managing arthritis, particularly in resource-limited settings such as Uganda. This review explores the role of community support groups in arthritis management, focusing on their impact on patient outcomes, emotional well-being, social connectedness, and access to healthcare resources. The study highlights the importance of these groups in providing emotional support, peer education, and improving access to healthcare services in rural and underserved areas. However, these groups face challenges, including limited funding, insufficient involvement from healthcare professionals, and cultural stigma, all of which hinder their effectiveness. The review concludes with recommendations for strengthening these support groups through increased resources, professional collaboration, and awareness campaigns to improve arthritis care and support in Uganda.

**Keywords:** Arthritis management, community support groups, Uganda, osteoarthritis, rheumatoid arthritis.

## INTRODUCTION

Arthritis is a prevalent and debilitating condition that significantly impacts the lives of many Ugandans, particularly the elderly. The disease manifests in various forms, with osteoarthritis (OA) and rheumatoid arthritis (RA) being the most common in Uganda [1]. This condition is a leading cause of chronic pain and disability, causing individuals to experience severe limitations in their mobility and daily activities. The burden of arthritis is compounded by several challenges, such as limited access to healthcare, financial constraints, and a lack of awareness about the disease and its management [2]. Although medical treatments such as medications, physiotherapy, and surgeries are essential in alleviating symptoms, the role of community-based interventions, particularly community support groups, is increasingly recognized as a crucial component of arthritis management. In Uganda, where access to healthcare is often limited, particularly in rural areas, the need for alternative means of support is urgent. Community support groups, often formed by people living with arthritis themselves or with the assistance of local non-governmental organizations (NGOs), have emerged as a viable means of supporting individuals affected by arthritis [3]. These groups provide a platform for individuals to share their experiences, seek emotional support, and access valuable resources. This review aims to explore the significance of community support groups in the management of arthritis in Uganda, with a particular focus on their impact on patient outcomes, emotional well-being, social connectedness, and access to resources [4].

Arthritis is a growing public health concern in Uganda, and its impact is widely felt, especially in a country where healthcare services remain underdeveloped and often inaccessible. According to the World Health Organization (WHO), osteoarthritis alone is one of the leading causes of disability worldwide, and Uganda is no exception. In Uganda, a lack of sufficient medical infrastructure, high healthcare costs, and limited public awareness about arthritis prevention and management exacerbate the burden of this condition [5]. As a result, many individuals with arthritis face challenges in accessing appropriate medical care, managing their condition effectively, and maintaining a good quality of life. The most common forms of arthritis in Uganda are osteoarthritis (OA) and rheumatoid arthritis (RA).

OA, which primarily affects older adults, is caused by the degeneration of joint cartilage and underlying bone. RA, an autoimmune condition, causes inflammation in the joints and can lead to long-term damage if not properly managed [6]. Both conditions are characterized by symptoms such as joint pain, stiffness, swelling, and limited movement, which can significantly impair daily functioning and contribute to physical disability.

However, the impact of arthritis is not limited to physical symptoms. Many individuals with arthritis in Uganda experience emotional and psychological distress due to the chronic nature of the condition and the difficulty in accessing effective medical treatment [7]. This emotional burden is often compounded by feelings of social isolation, as arthritis can lead to difficulties in participating in social, familial, and community activities. The stigma surrounding disability and the lack of support systems further worsen the emotional well-being of individuals living with arthritis [8].

In light of these challenges, community support groups have emerged as a critical source of support. These groups, which are often initiated by individuals affected by arthritis or with the support of NGOs, provide an environment for patients to share their experiences, learn about effective management strategies, and receive emotional and psychological support. The role of these groups in improving outcomes for people living with arthritis is significant, as they can offer social and emotional benefits that extend beyond the medical treatment [9]. However, despite their growing importance, there is a lack of comprehensive research on the specific role of community support groups in arthritis management in Uganda. The effectiveness of these groups in improving the quality of life for individuals living with arthritis, as well as their impact on patients' emotional and social well-being, remains underexplored [10]. Additionally, there are concerns about the challenges faced by these groups in terms of resources, sustainability, and access to healthcare professionals. Therefore, this review aims to address these gaps in research and provide a deeper understanding of how community support groups can be leveraged to improve arthritis management in Uganda [11].

This study aims to explore the role of community support groups in the management of arthritis in Uganda, focusing on their impact on physical, emotional, and social well-being. The first objective is to assess how these groups contribute to improving patient outcomes, including how they complement formal medical treatments. A key aspect of this research will be evaluating the emotional and social benefits of community support groups, including their role in reducing isolation and enhancing social connectedness. Additionally, the study will assess how these groups help individuals access healthcare resources such as treatment options, referrals, and advocacy. The third objective seeks to identify the challenges that community support groups face in Uganda, such as financial limitations, insufficiently trained facilitators, and poor infrastructure. These obstacles may hinder the effectiveness of support groups in providing consistent and impactful assistance to individuals with arthritis. The final objective is to propose strategies for strengthening these groups to ensure they are better resourced, sustainable, and able to collaborate effectively with healthcare providers and non-governmental organizations (NGOs). This study's findings will be invaluable for healthcare policymakers, NGOs, and community leaders, offering actionable recommendations to improve arthritis management and the quality of life for individuals living with the disease in Uganda. By filling gaps in current research and emphasizing the importance of community-based interventions, the study will contribute to a more holistic approach to arthritis care.

### **Role of Community Support Groups in Arthritis Management**

Community support groups play a pivotal role in providing both emotional and practical assistance to individuals living with arthritis, particularly in regions with limited awareness and resources. One of their primary functions is offering emotional and psychological support, which is crucial for individuals who often feel isolated due to their condition. Arthritis, a chronic and painful disease, can lead to significant emotional strain, including anxiety and depression [12]. The sense of loneliness is often compounded when there is little understanding or awareness of the disease in the community. Support groups create a safe, understanding environment where individuals can express their feelings, share their frustrations, and connect with others going through similar experiences. This shared emotional support fosters a sense of belonging and helps patients cope with the mental challenges associated with arthritis [13]. Research conducted in Uganda has shown that those who participate in such groups report a higher sense of emotional well-being and greater coping skills compared to those who do not engage with these networks. Beyond emotional support, community groups also function as platforms for peer-to-peer education. These groups allow members to exchange valuable insights on managing their condition, from pain relief techniques to exercise routines and dietary modifications [14]. By sharing their personal experiences, participants empower one another to make informed decisions regarding treatment options and daily activities. This peer-sharing environment ensures that individuals have access to practical advice and coping strategies that may not be readily available in clinical settings, especially for those in rural or underserved areas. Additionally, these groups can enhance access to healthcare resources by organizing workshops and health fairs where healthcare professionals can provide essential information on arthritis care [15]. In areas like Uganda, where healthcare access is often limited, community groups

serve as vital conduits for patients seeking both educational and healthcare support, making a tangible difference in their quality of life.

### Challenges Faced by Community Support Groups

Community support groups in Uganda play a crucial role in providing emotional, educational, and social support to individuals with chronic conditions like arthritis. However, these groups face several challenges that hinder their effectiveness and sustainability. One of the primary obstacles is the lack of funding and resources. Many community support groups operate on limited budgets, relying on donations or small membership fees, which are often insufficient to meet their operational needs [16]. Without proper funding, these groups struggle to organize events, provide educational materials, or offer specialized services such as workshops and outreach programs. As a result, their ability to expand their reach and impact is compromised. In some cases, groups are forced to reduce their activities or even close due to financial constraints, limiting their ability to attract new members or provide the support that patients require. Another significant challenge is the limited involvement of healthcare professionals in these groups [17]. While peer-to-peer support can be incredibly valuable, it is often insufficient when it comes to providing accurate, evidence-based medical information about managing arthritis. The absence of trained healthcare professionals means that patients may not receive expert advice or the latest treatment recommendations. This gap can lead to the spread of misinformation, which can negatively affect the health and well-being of those affected by arthritis. Additionally, the lack of professional guidance may limit the credibility and authority of the support group, making it harder to gain trust from potential members or the wider community. Cultural barriers and stigma surrounding chronic diseases also pose significant challenges [18]. In some Ugandan communities, there is limited understanding of arthritis, often leading to misconceptions about its causes and treatment. Stigma surrounding chronic illness can prevent patients from openly discussing their condition or seeking help. This cultural stigma can make individuals feel ashamed of their diagnosis, which may discourage them from joining support groups or accessing necessary care [19]. Overcoming these barriers requires raising awareness and fostering a more inclusive, supportive environment for those living with arthritis.

### CONCLUSION

Community support groups are essential in managing arthritis in Uganda, providing emotional support, information sharing, and enhancing access to healthcare resources. These groups create a safe space for individuals to connect, learn coping mechanisms, and engage in social and physical activities that can alleviate symptoms. Additionally, they offer a sense of belonging and reduce isolation for individuals suffering from arthritis. Despite their importance, community support groups face significant challenges, including limited funding, a lack of involvement from healthcare professionals, and cultural barriers that may hinder participation. These issues reduce the overall effectiveness of these groups in addressing the needs of individuals with arthritis. To improve their impact, it is crucial to focus on increasing financial resources, improving access to trained healthcare providers, and launching awareness campaigns to combat the stigma surrounding arthritis. Strengthening these support networks can ultimately enhance the quality of life for people with arthritis in Uganda and address the deficiencies in arthritis care nationwide.

### REFERENCES

1. Ochola, B., Nankabirwa, J., Buwembo, W., Kaddumukasa, M., Mayanja-Kizza, H.: The Clinical Presentation and Factors Associated with Disease Severity of Rheumatoid Arthritis in Uganda: A Cross-Sectional Study. *Open Access Rheumatol.* 14, 75–86 (2022). <https://doi.org/10.2147/OARRR.S361454>
2. Laurie, E., Msoka, E.F., Wyke, S., Yongolo, N.M., Bunn, C., Msoka, P., et al.: '... You become a prisoner of your life': A qualitative study exploring the experience of joint pain and accessing care in Hai, Tanzania. *SSM - Qualitative Research in Health.* 6, 100481 (2024). <https://doi.org/10.1016/j.ssmqr.2024.100481>
3. Ssemata, A.S., Smythe, T., Sande, S., Menya, A., Hameed, S., Waiswa, P., et al: Engaging community groups to enhance healthcare access for persons with disabilities in rural Uganda: A qualitative exploration. *PLOS Glob Public Health.* 5, e0003140 (2025). <https://doi.org/10.1371/journal.pgph.0003140>
4. Alope, C., Ibiam, U. A., Ezeani, N. N., Aja, P. M., Alum, E. U., Mordi, J. C. Effect of ethanol and aqueous extracts of seed pod of *Copaifera salikounda* (Heckel) on complete Freund's adjuvant-induced rheumatoid arthritis in rats. *J Food Biochem.* 2019 Jul;43(7):e12912. doi: 10.1111/jfbc.12912. Epub 2019 May 23. PMID: 31353723.
5. Zhang, X., Huang, C., Hu, Z., Tan, Y., Wang, P., Zhu, L., Kang, J.: Global, regional, and country-specific lifetime risks of osteoarthritis, 1990–2021: a systematic analysis for the global burden of disease study 2021. *Global Health Research and Policy.* 10, 29 (2025). <https://doi.org/10.1186/s41256-025-00419-9>
6. CDC: Osteoarthritis, <https://www.cdc.gov/arthritis/osteoarthritis/index.html>
7. Senthelal, S., Li, J., Ardeshirzadeh, S., Thomas, M.A.: Arthritis. In: StatPearls. StatPearls Publishing, Treasure Island (FL) (2025)

8. Ibiam, U. A., Ugwuja, E. I., Aja, P. M., Igwenyi, I. O., et al. Antioxidant Effect of *Buchholziacoriacea* Ethanol Leaf Extract and Fractions on Freund's Adjuvant-induced Arthritis in Albino Rats: A Comparative Study. *Slovenian Veterinary Research*. 2022; 59 (1): 31–45. doi: 10.26873/svr-1150-2022.
9. Karp, N., Yazdany, J., Schmajuk, G.: Peer Support in Rheumatic Diseases: A Narrative Literature Review. Patient Prefer Adherence. 17, 2433–2449 (2023). <https://doi.org/10.2147/PPA.S391396>
10. Said, S.S., Johansson, K.A., Nystad, T.W., Mshiu, J.J., Fevang, B.-T.S.: Health-related quality of life among patients with rheumatoid arthritis in Zanzibar: a prospective cohort study. *Qual Life Res*. 34, 2123–2135 (2025). <https://doi.org/10.1007/s11136-025-03974-3>
11. Alum, E. U., Ugwu, O. P. C. Nutritional Strategies for Rheumatoid Arthritis: Exploring Pathways to Better Management. *INOSR Scientific Research*. 2023; 10(1):18-26. <https://doi.org/10.59298/INOSRSR/2023/3.2.47322>
12. Damgaard, A.J., Primdahl, J., Esbensen, B.A., Latocha, K.M., Bremander, A.: Self-management support needs of patients with inflammatory arthritis and the content of self-management interventions: a scoping review. *Seminars in Arthritis and Rheumatism*. 60, 152203 (2023). <https://doi.org/10.1016/j.semarthrit.2023.152203>
13. Ibiam, U. A., Ugwu, O. P. C. Alum, E. U., A Comprehensive Review of Treatment Approaches and Perspectives for Management of Rheumatoid Arthritis. *INOSR Scientific Research*. 2023; 10(1):12-17. <https://doi.org/10.59298/INOSRSR/2023/2.2.13322>
14. Asiimwe, R., Nuwagaba-K, R.D., Dwanyen, L., Kasujja, R.: Sociocultural considerations of mental health care and help-seeking in Uganda. *SSM - Mental Health*. 4, 100232 (2023). <https://doi.org/10.1016/j.ssmmh.2023.100232>
15. Armin R, Fisher S I (2018). Lupus Erythematosus Cell. *Arthritis & Rheumatology*, 70, (7), 1101. DOI 10.1002/art.40489
16. Tumwesige, W., Namatovu, P., Bahar, O.S., Byansi, W., McKay, M.M., Ssewamala, F.M.: Engaging community and governmental partners in improving health and mental health outcomes for children and adolescents impacted by HIV/AIDS in Uganda. *Pediatric Medicine*. 4, (2021). <https://doi.org/10.21037/pm-20-86>
17. Jabbour Al Maalouf, N., Sawaya, C., Elia, J.: Evaluating the influence of organizational capability on fundraising success in lebanese non-governmental organizations. *Heliyon*. 11, e41891 (2025). <https://doi.org/10.1016/j.heliyon.2025.e41891>
18. Voshaar, M.J.H., van den Bemt, B.J.F., van de Laar, M.A.F.J., van Dulmen, A.M., Vriezolk, J.E.: Healthcare professionals' perceptions on barriers and facilitators to DMARD use in rheumatoid arthritis. *BMC Health Serv Res*. 22, 62 (2022). <https://doi.org/10.1186/s12913-021-07459-0>
19. Lloyd, C.E., Musyimi, C., Mutiso, V., Ndeti, D.: Individual and community experiences and the use of language in understanding diabetes and depression in rural Kenya. *Global Public Health*. 18, 2049841 (2023). <https://doi.org/10.1080/17441692.2022.2049841>

**CITE AS: Asiimawe Masika Agnovia. (2026). The Role of Community Support Groups in Arthritis Management in Uganda: A Review. NEWPORT INTERNATIONAL JOURNAL OF RESEARCH IN MEDICAL SCIENCES, 7(2):52-55 <https://doi.org/10.59298/NIJRMS/2026/7.2.5255>**