$See \ discussions, stats, and author \ profiles \ for \ this \ publication \ at: \ https://www.researchgate.net/publication/379308708$

Adolescent Peer Education Programs: A Catalyst for Sickle Cell Disease Reduction

Article · March 2024

CITATION: 0	S	reads 85	
3 autho	rs:		
	Emmanuel Ifeanyi Obeagu Kampala International University (KIU) 1,686 PUBLICATIONS 23,400 CITATIONS SEE PROFILE		Elham Ali Ibrahim Elamin University of El Imam El Mahdi, Faculty of Medical Laboratory Sciences 25 PUBLICATIONS 103 CITATIONS SEE PROFILE
0	Getrude Uzoma Obeagu Kampala International University (KIU) 534 PUBLICATIONS 10,607 CITATIONS SEE PROFILE		

Adolescent Peer Education Programs: A Catalyst for Sickle Cell Disease Reduction

*Emmanuel Ifeanyi Obeagu¹, Elham Ali Ibrahim Elamin² and Getrude Uzoma Obeagu³

¹Department of Medical Laboratory Science, Kampala International University, Uganda

²Hematology and Immunohematology, Faculty of Medical Laboratory Sciences, University of ElImam El Mahdi, Sudan

³School of Nursing Science, Kampala International University, Uganda

*Corresponding authour: Emmanuel Ifeanyi Obeagu, <u>Department of Medical Laboratory Science</u>, <u>Kampala International University</u>, <u>Uganda</u>, <u>emmanuelobeagu@yahoo.com</u>, <u>ORCID</u>: 0000-0002-4538-0161

Abstract

Adolescent peer education programs have emerged as promising avenues for health promotion and disease prevention within communities. Sickle cell disease (SCD) stands as a significant global health concern, particularly in regions where it is prevalent. This paper reviews the potential of adolescent peer education programs as catalysts for reducing the burden of SCD. By harnessing the influence and communication channels inherent in adolescent peer groups, these programs hold the promise of fostering awareness, promoting preventive behaviors, and encouraging early intervention strategies. Through a comprehensive analysis of existing literature, this paper highlights the effectiveness, challenges, and future directions of adolescent peer education initiatives in combating SCD.

Keywords: Adolescent, Peer Education, Sickle Cell Disease, Reduction, Health Promotion, Community Engagement

Introduction

Sickle cell disease (SCD) represents a significant public health challenge worldwide, particularly in regions where it is endemic. This hereditary blood disorder, characterized by abnormal hemoglobin molecules and distorted red blood cells, affects millions of individuals, with a

disproportionate impact on adolescents. Adolescents living with SCD encounter unique challenges in managing the disease, adhering to treatment regimens, and navigating social and educational environments. Concurrently, peer influence and social networks play pivotal roles in shaping adolescent behaviors and attitudes, presenting an opportunity for innovative interventions aimed at SCD prevention and management. Adolescent peer education programs have gained recognition as effective strategies for addressing various health issues by leveraging the influence of peer networks. These programs empower young individuals to disseminate health-related information, promote positive behaviors, and support their peers in adopting healthy lifestyles. In the context of SCD, adolescent peer education initiatives have the potential to fill critical gaps in knowledge, dispel myths and misconceptions, and encourage proactive health-seeking behaviors among affected individuals. By harnessing the inherent communication channels and relatability of peer interactions, these programs can serve as catalysts for reducing the burden of SCD within communities.¹⁻²²

Despite their promise, adolescent peer education programs face several challenges and considerations that warrant careful attention. Limited resources, including funding and trained personnel, may hinder the implementation and sustainability of such initiatives. Ensuring the accuracy and consistency of information disseminated by peer educators is essential to avoid misinformation and promote evidence-based practices. Additionally, addressing stigma and cultural beliefs surrounding SCD within communities is crucial for fostering an environment of acceptance and support for affected individuals and their families. Looking ahead, there is a need for enhanced collaboration and coordination among stakeholders, including healthcare providers, educators, community organizations, and peer leaders, to maximize the impact of adolescent peer education programs in combating SCD. Embracing innovative approaches, such as digital technologies and social media platforms, can enhance the reach and effectiveness of peer-led interventions, particularly among tech-savvy adolescents. Furthermore, integrating SCD education into school curricula and youth-centric health services can facilitate sustained behavior change and empower adolescents to take ownership of their health and well-being.²³⁻³⁸

Effectiveness of Adolescent Peer Education Programs

The effectiveness of adolescent peer education programs in addressing various health issues, including sickle cell disease (SCD), has been widely recognized in public health literature. These programs capitalize on the influence and communication channels inherent in peer networks to disseminate health-related information, promote positive behaviors, and support peers in adopting healthier lifestyles. In the context of SCD, adolescent peer education initiatives have shown promising results in raising awareness, improving knowledge, and fostering preventive behaviors among affected individuals. One of the key strengths of adolescent peer education programs is their ability to engage young individuals in interactive and relatable ways. Peer educators, who are often trained and knowledgeable about SCD, serve as credible sources of information and relatable role models for their peers. Through peer-led workshops, group discussions, and interactive **Citation**: Obeagu EI, Elamin EAI Obeagu GU. Adolescent Peer Education Programs: A Catalyst for Sickle Cell Disease Reduction. *Elite Journal of Haematology, 2024; 2(4): 1-9*

activities, these programs create a supportive environment where adolescents feel comfortable discussing sensitive health topics related to SCD. By harnessing the power of peer influence and social networks, peer education initiatives can effectively convey messages about the importance of adherence to medication regimens, regular health screenings, and healthy lifestyle choices.³⁹⁻⁵⁶

Evidence from existing literature suggests that adolescent peer education programs can lead to significant improvements in knowledge and awareness of SCD among both affected individuals and their peers. Moreover, peer education programs have been effective in dispelling myths and misconceptions surrounding SCD, thereby reducing stigma and promoting a supportive community environment for affected individuals.⁵⁷ Furthermore, adolescent peer education programs have demonstrated positive effects on behavioral outcomes related to SCD prevention and management. By providing adolescents with the information and skills necessary to make informed decisions about their health, these programs empower them to take proactive steps to reduce their risk of complications associated with SCD. For example, peer-led interventions have been shown to increase adherence to medication regimens, encourage participation in regular physical activity, and promote healthy coping strategies for managing pain and other symptoms associated with SCD. In addition to improving individual-level outcomes, adolescent peer education programs have the potential to influence broader social and cultural norms related to SCD within communities. By engaging adolescents as peer leaders and advocates for SCD awareness and prevention, these programs foster a sense of collective responsibility and solidarity among community members. Through community outreach activities, peer educators can amplify their impact and reach larger audiences, including parents, educators, and healthcare providers, thereby creating a ripple effect of positive change within communities affected by SCD.

Challenges and Considerations

Despite their potential effectiveness, adolescent peer education programs face several challenges and considerations that need to be addressed to maximize their impact in addressing sickle cell disease (SCD) and other health issues. Adequate funding, staffing, and infrastructure are essential for the successful implementation and sustainability of peer education programs. However, many communities, particularly those with limited resources, may struggle to allocate sufficient resources to support these initiatives. Without adequate support, peer education programs may struggle to reach their intended audience and maintain long-term engagement. Ensuring the accuracy and consistency of health-related information disseminated by peer educators is crucial to the success of peer education programs. Peer educators may lack formal training in health education, leading to the dissemination of inaccurate or incomplete information. To address this challenge, comprehensive training and ongoing supervision of peer educators are essential to ensure that they have the knowledge and skills necessary to deliver accurate and evidence-based information to their peers.⁵⁸⁻⁵⁹

Stigma and cultural beliefs surrounding SCD may present significant barriers to the success of peer education programs.⁶⁰ In some communities, SCD may be misunderstood or stigmatized, leading to reluctance to discuss the disease openly. Peer educators may encounter resistance or skepticism from their peers or community members, making it challenging to effectively convey health-related messages and promote behavior change. Maintaining the engagement and retention of adolescents in peer education programs over time can be challenging. Adolescents may face competing priorities, such as school, work, and social activities, which may limit their participation in program activities. Additionally, adolescents may experience changes in peer dynamics or interests over time, which can impact their level of engagement in peer-led interventions. Peer education programs must be culturally sensitive and tailored to the unique needs and preferences of the target population. Cultural norms, values, and beliefs may vary widely across communities, influencing attitudes towards health, education, and peer relationships. Peer educators must be mindful of these cultural factors and adapt their approaches accordingly to ensure that program activities are relevant and acceptable to their peers. Ensuring the sustainability and scalability of peer education programs is essential to their long-term success and impact. Many peer education programs rely on external funding or support, which may not be sustainable in the long term. To address this challenge, efforts should be made to build capacity within communities and empower local stakeholders to take ownership of peer education initiatives.

Future Directions and Recommendations

There is a need for increased collaboration and coordination among stakeholders, including healthcare providers, educators, community organizations, and peer leaders, to maximize the impact of adolescent peer education programs in addressing sickle cell disease (SCD). By working together, stakeholders can leverage their respective expertise and resources to develop comprehensive, culturally tailored interventions that address the unique needs of adolescents living with SCD. Embracing innovative approaches and technologies, such as digital platforms, mobile applications, and social media, can enhance the reach and effectiveness of peer education initiatives targeting adolescents. These technologies offer interactive and engaging ways to disseminate health-related information, facilitate peer-to-peer communication, and track program outcomes. By harnessing the power of digital tools, peer education programs can reach larger audiences, particularly tech-savvy adolescents, and promote behavior change in innovative ways. Integrating SCD education into school curricula and youth-centric health services can help ensure sustained behavior change and empower adolescents to take ownership of their health. By incorporating SCD-related topics into health education curricula, schools can provide students with the knowledge and skills necessary to make informed decisions about their health. Similarly, integrating SCD services into existing youth-friendly health clinics can improve access to preventive care, screening, and treatment for adolescents living with SCD.

Community outreach activities and advocacy efforts are essential for raising awareness about SCD and promoting positive attitudes towards affected individuals within communities. Peer educators **Citation**: Obeagu EI, Elamin EAI Obeagu GU. Adolescent Peer Education Programs: A Catalyst for Sickle Cell Disease Reduction. *Elite Journal of Haematology*, 2024; 2(4): 1-9

can play a key role in organizing community events, awareness campaigns, and advocacy initiatives aimed at reducing stigma, dispelling myths, and promoting a supportive environment for adolescents living with SCD. By engaging community members as allies and advocates, peer education programs can foster a sense of collective responsibility and solidarity in the fight against SCD. Investing in capacity building and training for peer educators is essential to ensure the effectiveness and sustainability of peer education programs targeting adolescents. Comprehensive training programs should cover a range of topics, including SCD awareness, communication skills, leadership development, and cultural sensitivity. Ongoing supervision and support mechanisms should also be put in place to monitor the progress of peer educators, provide feedback, and address any challenges or concerns that may arise. Continuous monitoring and evaluation are essential to assess the effectiveness, reach, and impact of peer education programs over time. Evaluation efforts should focus on measuring changes in knowledge, attitudes, and behaviors related to SCD among program participants. Feedback from participants, stakeholders, and community members should be solicited regularly to identify strengths, weaknesses, and areas for improvement. By incorporating feedback into program design and implementation, peer education programs can adapt to the evolving needs of adolescents and communities and maximize their impact in reducing the burden of SCD.

Conclusion

Adolescent peer education programs represent a valuable and promising approach to addressing the challenges posed by sickle cell disease (SCD) within communities. By harnessing the influence of peer networks, these programs have the potential to raise awareness, promote preventive behaviors, and empower young individuals to take control of their health and well-being. Through interactive and relatable methods, peer educators serve as credible sources of information and supportive mentors for their peers navigating the complexities of living with SCD. Despite their effectiveness, adolescent peer education programs face challenges such as resource limitations, the need for accuracy and consistency of information, and cultural barriers. However, by adopting innovative approaches, enhancing collaboration, and integrating services, these challenges can be overcome. Through community outreach, advocacy efforts, and capacity building, peer education programs can foster a sense of collective responsibility and solidarity in the fight against SCD.

References

- 1. Aygun B, Odame I. A global perspective on sickle cell disease. Pediatric blood & cancer. 2012;59(2):386-390.
- 2. Creary M, Williamson D, Kulkarni R. Sickle cell disease: current activities, public health implications, and future directions. Journal of women's health. 2007;16(5):575-582.
- 3. Chakravorty S, Williams TN. Sickle cell disease: a neglected chronic disease of increasing global health importance. Archives of disease in childhood. 2015;100(1):48-53.
- 4. Makani J, Ofori-Acquah SF, Nnodu O, Wonkam A, Ohene-Frempong K. Sickle cell disease: new opportunities and challenges in Africa. The scientific world Journal. 2013.

- 5. Mulumba LL, Wilson L. Sickle cell disease among children in Africa: An integrative literature review and global recommendations. International Journal of Africa Nursing Sciences. 2015; 3:56-64.
- 6. Cannas G, Merazga S, Virot E. Sickle cell disease and infections in high-and low-income countries. Mediterranean Journal of Hematology and Infectious Diseases. 2019;11(1).
- 7. Wastnedge E, Waters D, Patel S, Morrison K, Goh MY, Adeloye D, Rudan I. The global burden of sickle cell disease in children under five years of age: a systematic review and meta-analysis. Journal of global health. 2018;8(2).
- 8. Obeagu EI, Ochei KC, Nwachukwu BN, Nchuma BO. Sickle cell anaemia: a review. Scholars Journal of Applied Medical Sciences. 2015;3(6B):224422-52.
- 9. Obeagu EI. Erythropoeitin in Sickle Cell Anaemia: A Review. International Journal of Research Studies in Medical and Health Sciences. 2020;5(2):22-28.
- 10. Obeagu EI. Sickle Cell Anaemia: Haemolysis and Anemia. Int. J. Curr. Res. Chem. Pharm. Sci. 2018;5(10):20-21.
- Obeagu EI, Muhimbura E, Kagenderezo BP, Uwakwe OS, Nakyeyune S, Obeagu GU. An Update on Interferon Gamma and C Reactive Proteins in Sickle Cell Anaemia Crisis. J Biomed Sci. 2022;11(10):84.
- 12. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. International Research in Medical and Health Sciences. 2023 Sep 11;6(4):12-17.
- Obeagu EI, Ogunnaya FU, Obeagu GU, Ndidi AC. Sickle cell anaemia: a gestational enigma. European Journal of Biomedical and Pharmaceutical Sciences. 2023;10((9): 72-75
- 14. Obeagu EI. An update on micro RNA in sickle cell disease. Int J Adv Res Biol Sci. 2018; 5:157-8.
- 15. Obeagu EI, Babar Q. Covid-19 and Sickle Cell Anemia: Susceptibility and Severity. J. Clinical and Laboratory Research. 2021;3(5):2768-0487.
- 16. Obeagu EI. Depression in Sickle Cell Anemia: An Overlooked Battle. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(10):41-.
- 17. Obeagu EI, Obeagu GU. Evaluation of Hematological Parameters of Sickle Cell Anemia Patients with Osteomyelitis in A Tertiary Hospital in Enugu, Nigeria. Journal of Clinical and Laboratory Research.2023;6(1):2768-0487.
- 18. Obeagu EI, Dahir FS, Francisca U, Vandu C, Obeagu GU. Hyperthyroidism in sickle cell anaemia. Int. J. Adv. Res. Biol. Sci. 2023;10(3):81-89.
- 19. Obeagu EI, Obeagu GU, Akinleye CA, Igwe MC. Nosocomial infections in sickle cell anemia patients: Prevention through multi-disciplinary approach: A review. Medicine. 2023;102(48):e36462.
- 20. Njar VE, Ogunnaya FU, Obeagu EI. Knowledge And Prevalence of The Sickle Cell Trait Among Undergraduate Students Of The University Of Calabar. Prevalence.;5(100):0-5.
- 21. Swem CA, Ukaejiofo EO, Obeagu EI, Eluke B. Expression of micro RNA 144 in sickle cell disease. Int. J. Curr. Res. Med. Sci. 2018;4(3):26-32.

- 22. Obeagu EI. Sickle cell anaemia: Historical perspective, Pathophysiology and Clinical manifestations. Int. J. Curr. Res. Chem. Pharm. Sci. 2018;5(11):13-15.
- 23. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023 Jun 10;6(2):10-13.
- 24. Obeagu EI, Mohamod AH. An update on Iron deficiency anaemia among children with congenital heart disease. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(4):45-48.
- 25. Edward U, Osuorji VC, Nnodim J, Obeagu EI. Evaluationof Trace Elements in Sickle Cell Anaemia Patients Attending Imo State Specialist Hospital, Owerri. Madonna University journal of Medicine and Health Sciences ISSN: 2814-3035. 2022 Mar 4;2(1):218-234.
- 26. Umar MI, Aliyu F, Abdullahi MI, Aliyu MN, Isyaku I, Aisha BB, Sadiq RU, Shariff MI, Obeagu EI. Assessment Of Factors Precipitating Sickle Cell Crises Among Under 5-Years Children Attending Sickle Cell Clinic Of Murtala Muhammad Specialist Hospital, Kano. blood.;11:16.
- Obeagu EI. Vaso-occlusion and adhesion molecules in sickle cells disease. Int J Curr Res Med Sci. 2018;4(11):33-35.
- 28. Ifeanyi OE, Stella EI, Favour AA. Antioxidants In The Management of Sickle Cell Anaemia. Int J Hematol Blood Disord (Internet) 2018 (cited 2021 Mar 4); 3. Available from: https://symbiosisonlinepublishing. com/hematology/hema tology25. php. 2018 Sep.
- 29. Buhari HA, Ahmad AS, Obeagu EI. Current Advances in the Diagnosis and Treatment of Sickle Cell Anaemia. APPLIED SCIENCES (NIJBAS). 2023;4(1).
- 30. Nnodim J, Uche U, Ifeoma U, Chidozie N, Ifeanyi O, Oluchi AA. Hepcidin and erythropoietin level in sickle cell disease. British Journal of Medicine and Medical Research. 2015;8(3):261-5.
- 31. Obeagu EI. BURDEN OF CHRONIC OSTEOMYLITIS: REVIEW OF ASSOCIATIED FACTORS. Madonna University journal of Medicine and Health Sciences. 2023;3(1):1-6.
- 32. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sickle Erythrocytes under Drug-Induced Oxidative Stress. European Journal of Biomedical and Pharmaceutical sciences. 2015;2(1):502-507.
- 33. Obeagu EI, Bot YS, Opoku D, Obeagu GU, Hassan AO. Sickle Cell Anaemia: Current Burden in Africa. International Journal of Innovative and Applied Research. 2023;11(2):12-14.
- 34. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. International Research in Medical and Health Sciences. 2023 Jun 10; 6 (2): 10-13.
- 35. Obeagu EI, Ogbuabor BN, Ikechukwu OA, Chude CN. Haematological parameters among sickle cell anemia patients' state and haemoglobin genotype AA individuals at Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria. International Journal of Current Microbiology and Applied Sciences. 2014;3(3):1000-1005.
- Ifeanyi OE, Nwakaego OB, Angela IO, Nwakaego CC. Haematological parameters among sickle cell anaemia... Emmanuel Ifeanyi1, et al. pdf• Obeagu. Int. J. Curr. Microbiol. App. Sci. 2014;3(3):1000-1005.

- 37. Obeagu EI, Abdirahman BF, Bunu UO, Obeagu GU. Obsterics characteristics that effect the newborn outcomes. Int. J. Adv. Res. Biol. Sci. 2023;10(3):134-143.
- 38. Obeagu EI, Opoku D, Obeagu GU. Burden of nutritional anaemia in Africa: A Review. Int. J. Adv. Res. Biol. Sci. 2023;10(2):160-163.
- 39. Ifeanyi E. Erythropoietin (Epo) Level in Sickle Cell Anaemia (HbSS) With Falciparum Malaria Infection in University Health Services, Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria. PARIPEX - INDIAN JOURNAL OF RESEARCH, 2015; 4(6): 258-259
- 40. Ifeanyi OE, Nwakaego OB, Angela IO, Nwakaego CC. Haematological parameters among sickle cell anaemia patients in steady state and haemoglobin genotype AA individuals at Michael Okpara, University of Agriculture, Umudike, Abia State, Nigeria. Int. J. Curr. Microbiol. App. Sci. 2014;3(3):1000-1005.
- 41. Ifeanyi OE, Stanley MC, Nwakaego OB. Comparative analysis of some haematological parameters in sickle cell patients in steady and crisis state at michael okpara University of agriculture, Umudike, Abia state, Nigeria. Int. J. Curr. Microbiol. App. Sci. 2014;3(3):1046-1050.
- 42. Ifeanyi EO, Uzoma GO. Malaria and The Sickle Cell Trait: Conferring Selective Protective Advantage to Malaria. J Clin Med Res. 2020; 2:1-4.
- 43. Obeagu EI, Obeagu GU. Oxidative Damage and Vascular Complications in Sickle Cell Anemia: A Review. Elite Journal of Haematology, 2024; 2 (3).:58-66.
- 44. Obeagu EI, Obeagu GU. Addressing Myths and Stigmas: Breaking Barriers in Adolescent Sickle Cell Disease Education. Elite Journal of Health Science. 2024;2(2):7-15.
- 45. Obeagu EI, Obeagu GU. Implications of climatic change on sickle cell anemia: A review. Medicine. 2024 Feb 9;103(6):e37127.
- 46. Obeagu EI. Chromium VI: A Silent Aggressor in Sickle Cell Anemia Pathophysiology. Elite Journal of Haematology, 2024; 2 (3).:81-95.
- 47. Obeagu EI. Maximizing longevity: erythropoietin's impact on sickle cell anemia survival rates. Annals of Medicine and Surgery. 2024:10-97.
- 48. Obeagu EI, Ubosi NI, Obeagu GU, Egba SI, Bluth MH. Understanding apoptosis in sickle cell anemia patients: Mechanisms and implications. Medicine. 2024 Jan 12;103(2):e36898.
- 49. Obeagu EI, Ayogu EE, Anyanwu CN, Obeagu GU. Drug-Drug Interactions in the Management of Coexisting Sickle Cell Anemia and Diabetes. Elite Journal of Health Science. 2024;2(2):1-9.
- 50. Obeagu EI, Obeagu GU. Dual Management: Diabetes and Sickle Cell Anemia in Patient Care. Elite Journal of Medicine. 2024;2(1):47-56.
- 51. Obeagu EI, Obeagu GU, Hauwa BA. Optimizing Maternal Health: Addressing Hemolysis in Pregnant Women with Sickle Cell Anemia. Journal home page: http://www.journalijiar. com.;12(01).
- Obeagu EI, Obeagu GU. Synergistic Care Approaches: Integrating Diabetes and Sickle Cell Anemia Management. Elite Journal of Scientific Research and Review. 2024;2(1):51-64.

- 53. Obeagu EI, Obeagu GU. Improving Outcomes: Integrated Strategies for Diabetes and Sickle Cell Anemia. Int. J. Curr. Res. Chem. Pharm. Sci. 2024;11(2):20-9.
- 54. Obeagu EI, Obeagu GU. The Role of Parents: Strengthening Adolescent Education for Sickle Cell Disease Prevention. Elite Journal of Public Health. 2024;2(1):15-21.
- 55. Obeagu EI, Obeagu GU. Hemolysis Challenges for Pregnant Women with Sickle Cell Anemia: A Review. Elite Journal of Haematology, 2024; 2 (3).:67-80.
- 56. Obeagu EI, Obeagu GU. Overcoming Hurdles: Anemia Management in Malaria-Affected Childhood. Elite Journal of Laboratory Medicine. 2024;2(1):59-69.
- 57. Munung NS, Treadwell M, Kamga KK, Dennis-Antwi J, Anie K, Bukini D, Makani J, Wonkam A. Caught between pity, explicit bias, and discrimination: a qualitative study on the impact of stigma on the quality of life of persons living with sickle cell disease in three African countries. Quality of Life Research. 2023:1-0.
- 58. Melita N, Diaz-Linhart Y, Kavanagh PL, Sobota A. Developing a problem-solving intervention to improve self-management and transition readiness in adolescents with sickle cell disease. Journal of pediatric nursing. 2019; 46:26-32.
- 59. Kulandaivelu Y, Lalloo C, Ward R, Zempsky WT, Kirby-Allen M, Breakey VR, Odame I, Campbell F, Amaria K, Simpson EA, Nguyen C. Exploring the needs of adolescents with sickle cell disease to inform a digital self-management and transitional care program: qualitative study. JMIR pediatrics and parenting. 2018;1(2): e11058.
- 60. Phillips S, Chen Y, Masese R, Noisette L, Jordan K, Jacobs S, Hsu LL, Melvin CL, Treadwell M, Shah N, Tanabe P. Perspectives of individuals with sickle cell disease on barriers to care. PloS one. 2022;17(3): e0265342.