

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/380637252>

Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies

Article · May 2024

CITATIONS

0

2 authors:



Emmanuel Ifeanyi Obeagu
Kampala International University (KIU)
1,668 PUBLICATIONS 23,164 CITATIONS

SEE PROFILE



Getrude Uzoma Obeagu
Kampala International University (KIU)
534 PUBLICATIONS 10,513 CITATIONS

SEE PROFILE

Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies

*Emmanuel Ifeanyi Obeagu¹ and Getrude Uzoma Obeagu²

¹Department of Medical Laboratory Science, Kampala International University, Uganda

²School of Nursing Science, Kampala International University, Uganda

*Corresponding author: Emmanuel Ifeanyi Obeagu, [Department of Medical Laboratory Science, Kampala International University, Uganda, emmanuelobeagu@yahoo.com, ORCID: 0000-0002-4538-0161](#)

Abstract

Gestational Diabetes Mellitus (GDM) presents a significant health concern during pregnancy, with implications for both maternal and fetal well-being. Emerging research has highlighted the role of oxidative stress in the pathogenesis of GDM, underscoring the potential utility of antioxidants in its prevention and management. Oxidative stress plays a pivotal role in the pathogenesis of GDM, contributing to insulin resistance, β -cell dysfunction, and impaired glucose metabolism. During pregnancy, increased production of ROS, coupled with diminished antioxidant capacity, exacerbates oxidative stress, creating a milieu conducive to GDM development. Oxidative damage to pancreatic β -cells and insulin-sensitive tissues, such as adipose and skeletal muscle, disrupts glucose homeostasis and predisposes women to GDM. Understanding the interplay between oxidative stress and GDM pathophysiology is essential for elucidating the potential therapeutic role of antioxidants in GDM prevention. Dietary antioxidants, including vitamins C and E, selenium, and polyphenols, exert protective effects against GDM by scavenging free radicals, enhancing insulin sensitivity, and preserving β -cell function. Epidemiological evidence suggests an inverse relationship between dietary antioxidant intake and GDM incidence, with higher dietary antioxidant consumption associated with reduced GDM risk. Additionally, antioxidant supplementation trials have shown mixed results, highlighting the need for further research to elucidate the optimal dosage and timing of antioxidant interventions in GDM prevention.

Keywords: *Antioxidants, Gestational Diabetes Mellitus, Pregnancy Complications, Oxidative Stress, Dietary Interventions, Supplementation*

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

Introduction

Gestational Diabetes Mellitus (GDM) represents a prevalent pregnancy complication characterized by glucose intolerance first recognized during pregnancy. It poses significant risks to maternal and fetal health, including macrosomia, birth trauma, neonatal hypoglycemia, and long-term metabolic complications for both mother and child. The prevalence of GDM is increasing globally, paralleling the rise in obesity rates and maternal age, prompting a critical need for effective preventive strategies. Understanding the underlying mechanisms contributing to GDM pathogenesis is paramount for developing targeted interventions.¹⁻³ Oxidative stress, arising from an imbalance between reactive oxygen species (ROS) production and antioxidant defense mechanisms, has emerged as a potential contributor to GDM development. During pregnancy, heightened metabolic demands and physiological changes lead to increased ROS production, while simultaneously, antioxidant defenses may become compromised. This imbalance can result in oxidative damage to cellular structures, disrupting insulin signaling pathways, impairing pancreatic β -cell function, and promoting insulin resistance. Thus, oxidative stress represents a plausible target for GDM prevention, with antioxidants offering a promising avenue for intervention.⁴⁻⁸

The interplay between oxidative stress and GDM pathophysiology is multifaceted and involves intricate molecular mechanisms. ROS, including superoxide radicals, hydrogen peroxide, and hydroxyl radicals, exert detrimental effects on cellular components such as lipids, proteins, and DNA. Lipid peroxidation, protein carbonylation, and DNA damage contribute to cellular dysfunction and inflammation, exacerbating insulin resistance and impairing glucose metabolism. Moreover, ROS-mediated activation of stress-sensitive kinases, such as c-Jun N-terminal kinase (JNK) and nuclear factor kappa B (NF- κ B), promotes pro-inflammatory cytokine production and further contributes to insulin resistance.⁹⁻¹² Pregnancy represents a state of increased susceptibility to oxidative stress, driven by factors such as hormonal changes, placental metabolism, and maternal lifestyle factors. Adipose tissue expansion, a hallmark of pregnancy, is associated with heightened adipocyte activity and increased ROS production. Placental metabolism, essential for fetal growth and development, generates ROS as byproducts, further contributing to oxidative stress. Additionally, maternal factors such as obesity, poor diet, sedentary lifestyle, and advanced maternal age can exacerbate oxidative stress, increasing the risk of GDM development. Thus, understanding the complex interactions between oxidative stress and GDM pathogenesis is essential for identifying effective preventive strategies.¹³⁻¹⁶

Antioxidants, by virtue of their ability to neutralize ROS and mitigate oxidative damage, hold promise for GDM prevention. These compounds encompass a diverse array of molecules, including vitamins C and E, selenium, zinc, and polyphenols, found abundantly in fruits, vegetables, whole grains, nuts, seeds, and herbs. Antioxidants scavenge free radicals, inhibit lipid peroxidation, enhance endogenous antioxidant enzyme activity, and modulate inflammatory pathways, thereby mitigating oxidative stress and preserving metabolic homeostasis. Consequently, interventions aimed at enhancing antioxidant status through dietary modifications or supplementation may represent viable strategies for GDM prevention.¹⁷⁻²¹ Despite the growing

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

recognition of the role of oxidative stress and antioxidants in GDM pathogenesis, several knowledge gaps remain. Further research is needed to elucidate the specific mechanisms linking oxidative stress to GDM development, including the impact of ROS on insulin signaling pathways and β -cell function. Additionally, well-designed clinical trials are warranted to evaluate the efficacy of antioxidant interventions in GDM prevention, considering factors such as dosage, timing, and duration of supplementation. Moreover, personalized approaches accounting for maternal antioxidant status, genetic predisposition, and environmental factors may optimize preventive strategies and improve outcomes for women at risk of GDM. By addressing these knowledge gaps, healthcare providers can advance our understanding of GDM pathophysiology and develop evidence-based interventions to mitigate its impact on maternal and fetal health.²²⁻²⁵

Oxidative Stress and GDM Pathogenesis

Gestational Diabetes Mellitus (GDM) is a complex metabolic disorder characterized by glucose intolerance first recognized during pregnancy. While the precise etiology of GDM remains incompletely understood, emerging evidence suggests that oxidative stress plays a pivotal role in its pathogenesis. Oxidative stress arises from an imbalance between the production of reactive oxygen species (ROS) and the body's antioxidant defense mechanisms, leading to cellular damage and dysfunction. During pregnancy, maternal oxidative stress levels are heightened due to increased metabolic demands, hormonal fluctuations, and placental oxidative metabolism, creating a conducive environment for GDM development.²⁶⁻²⁸ One of the primary mechanisms through which oxidative stress contributes to GDM pathogenesis is by inducing insulin resistance in peripheral tissues, such as adipose, liver, and skeletal muscle. ROS interfere with insulin signaling pathways, impairing insulin receptor substrate (IRS) phosphorylation and downstream Akt activation, thereby attenuating glucose uptake and glycogen synthesis. Moreover, ROS-mediated activation of stress-sensitive kinases, including c-Jun N-terminal kinase (JNK) and inhibitor of κ B kinase (IKK), promotes serine phosphorylation of IRS proteins, further inhibiting insulin signaling and exacerbating insulin resistance. Consequently, impaired insulin action leads to inadequate glucose uptake and utilization, contributing to hyperglycemia characteristic of GDM.²⁹⁻³⁰

In addition to insulin resistance, oxidative stress can directly impair pancreatic β -cell function and viability, further exacerbating glucose intolerance in GDM. β -cells are particularly vulnerable to oxidative damage due to their low expression of antioxidant enzymes and high metabolic activity, rendering them susceptible to ROS-induced apoptosis and dysfunction. Oxidative stress disrupts mitochondrial function, leading to impaired ATP production and insulin secretion in response to glucose stimulation. Furthermore, ROS-mediated DNA damage and protein modifications impair β -cell survival and insulin biosynthesis, exacerbating β -cell dysfunction and compromising glucose homeostasis. Consequently, the progressive decline in β -cell function contributes to the deterioration of glycemic control in GDM.³¹⁻³² Moreover, oxidative stress-induced inflammation plays a crucial role in GDM pathogenesis, contributing to systemic insulin resistance and pancreatic β -cell dysfunction. ROS activate redox-sensitive transcription factors, such as nuclear factor kappa B (NF- κ B) and activator protein-1 (AP-1), leading to increased expression of pro-inflammatory cytokines, including tumor necrosis factor-alpha (TNF- α) and interleukin-6 (IL-6).

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

These cytokines further exacerbate insulin resistance by inhibiting insulin signaling pathways and promoting adipose tissue inflammation. Additionally, oxidative stress-induced inflammation impairs placental function and fetal development, contributing to adverse pregnancy outcomes associated with GDM. Thus, the interplay between oxidative stress, inflammation, and metabolic dysregulation underscores the multifaceted nature of GDM pathogenesis and highlights the potential therapeutic implications of targeting oxidative stress pathways in its management.³³⁻³⁵

Antioxidants and GDM Risk Reduction

The potential role of antioxidants in mitigating Gestational Diabetes Mellitus (GDM) risk has garnered considerable attention, driven by their ability to counteract oxidative stress and modulate pathways implicated in glucose homeostasis. Epidemiological studies have provided insights into the association between antioxidant intake and GDM incidence, suggesting that higher dietary antioxidant consumption may confer protective benefits against GDM development. Antioxidants scavenge reactive oxygen species (ROS), inhibit lipid peroxidation, and regulate inflammatory responses, thereby attenuating oxidative stress-mediated mechanisms underlying insulin resistance and β -cell dysfunction.³⁶⁻³⁸ Vitamins C and E, two well-known antioxidants abundant in fruits, vegetables, and nuts, have been extensively studied for their potential protective effects against GDM. Vitamin C, a water-soluble antioxidant, acts as a free radical scavenger and regenerates vitamin E, enhancing its antioxidant capacity. Epidemiological evidence suggests an inverse association between dietary vitamin C intake and GDM risk, with higher consumption associated with a reduced likelihood of GDM development. Similarly, vitamin E, a fat-soluble antioxidant, protects cellular membranes from lipid peroxidation and attenuates oxidative stress-induced insulin resistance. Studies have reported a potential protective effect of vitamin E supplementation against GDM, although findings have been inconsistent across trials.³⁹⁻⁴¹

Selenium, an essential trace element with antioxidant properties, plays a critical role in redox homeostasis and cellular defense mechanisms against oxidative stress. Selenium serves as a cofactor for glutathione peroxidase, an antioxidant enzyme involved in neutralizing peroxides and protecting cells from oxidative damage. Epidemiological studies have suggested an inverse association between selenium status and GDM risk, with lower selenium levels associated with an increased risk of GDM. Similarly, zinc, another essential trace element, modulates antioxidant enzyme activity and immune function, offering potential protective effects against GDM. However, further research is needed to elucidate the precise mechanisms underlying the association between selenium, zinc, and GDM risk reduction.⁴²⁻⁴⁴ Polyphenols, bioactive compounds found in fruits, vegetables, tea, and cocoa, exhibit potent antioxidant and anti-inflammatory properties, making them promising candidates for GDM prevention. Epidemiological studies have reported inverse associations between dietary polyphenol intake and GDM risk, with higher consumption of polyphenol-rich foods associated with a reduced risk of GDM development. Polyphenols exert pleiotropic effects on glucose metabolism, including improving insulin sensitivity, enhancing β -cell function, and attenuating inflammation, thereby mitigating key pathophysiological pathways underlying GDM. However, challenges remain in

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

translating epidemiological findings into clinical practice, as polyphenol bioavailability and pharmacokinetics may vary widely among individuals.⁴⁵⁻⁴⁸

Clinical Implications and Future Directions

The growing body of evidence implicating oxidative stress in the pathogenesis of Gestational Diabetes Mellitus (GDM) has significant clinical implications for maternal-fetal health. Antioxidants, by virtue of their ability to mitigate oxidative stress and modulate key pathways involved in glucose metabolism, offer promising avenues for GDM prevention and management. However, translating this knowledge into clinical practice requires a multifaceted approach that encompasses both preventive strategies and personalized interventions tailored to individual patient needs.⁴⁹ One of the key clinical implications of antioxidant therapy in GDM lies in its potential to reduce the incidence of GDM and mitigate associated pregnancy complications. Antioxidant-rich diets and supplementation regimens may offer a safe and accessible means of improving maternal antioxidant status and reducing oxidative stress burden during pregnancy. By targeting oxidative stress-mediated mechanisms underlying insulin resistance, β -cell dysfunction, and inflammation, antioxidants may help optimize glycemic control and improve pregnancy outcomes for women at risk of GDM.⁵⁰⁻⁵³

Moreover, antioxidant interventions hold promise for enhancing the efficacy of existing therapeutic modalities for GDM management. Complementary strategies, such as lifestyle modifications, pharmacotherapy, and glucose monitoring, can be augmented with antioxidant supplementation to achieve better glycemic control and reduce the need for pharmacological interventions. Integrating antioxidant therapy into standard prenatal care regimens may offer a holistic approach to GDM management, addressing not only glycemic control but also maternal-fetal health outcomes.⁵¹ However, several challenges and areas for future research must be addressed to fully realize the clinical potential of antioxidants in GDM prevention and management. First and foremost, well-designed clinical trials are needed to evaluate the efficacy, safety, and optimal dosing of antioxidant interventions in pregnant women at risk of GDM. Longitudinal studies assessing the impact of antioxidant supplementation on maternal-fetal outcomes, including GDM incidence, birth outcomes, and long-term metabolic health, are essential for informing clinical practice guidelines and recommendations.⁵⁴⁻⁵⁵

Furthermore, personalized approaches to antioxidant therapy are warranted to account for individual variability in antioxidant metabolism, responsiveness, and genetic predisposition. Biomarker-guided strategies, such as assessing maternal antioxidant status and oxidative stress markers, may help identify high-risk populations who stand to benefit most from antioxidant interventions. Additionally, elucidating the mechanistic underpinnings of antioxidant protection in GDM pathogenesis, including their effects on insulin signaling pathways, β -cell function, and placental physiology, is crucial for optimizing therapeutic strategies and identifying novel therapeutic targets.⁵⁶

Conclusion

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

Gestational Diabetes Mellitus (GDM) presents a significant health concern during pregnancy, with implications for both maternal and fetal well-being. Emerging evidence implicates oxidative stress as a key contributor to GDM pathogenesis, highlighting the potential therapeutic role of antioxidants in its prevention and management. Through their ability to counteract oxidative damage and modulate pathways involved in glucose metabolism, antioxidants offer promising avenues for reducing the incidence of GDM and improving pregnancy outcomes. The clinical implications of antioxidant therapy in GDM are profound, encompassing both preventive strategies and adjunctive therapies to existing treatment modalities. Antioxidant-rich diets and supplementation regimens may offer accessible means of improving maternal antioxidant status and mitigating oxidative stress burden during pregnancy. Integrating antioxidant therapy into standard prenatal care regimens has the potential to optimize glycemic control, reduce pregnancy complications, and enhance maternal-fetal health outcomes.

However, realizing the full clinical potential of antioxidants in GDM prevention and management requires addressing several challenges and areas for future research. Well-designed clinical trials are needed to evaluate the efficacy, safety, and optimal dosing of antioxidant interventions in pregnant women at risk of GDM. Personalized approaches to antioxidant therapy, guided by biomarkers of oxidative stress and genetic predisposition, may help identify high-risk populations who stand to benefit most from antioxidant interventions.

References

1. Coad J, Pedley K, Dunstall M. Anatomy and Physiology for Midwives E-Book: Anatomy and Physiology for Midwives E-Book. Elsevier Health Sciences; 2019.
2. Moog NK, Entringer S, Heim C, Wadhwa PD, Kathmann N, Buss C. Influence of maternal thyroid hormones during gestation on fetal brain development. *Neuroscience*. 2017; 342:68-100.
3. Obeagu EI, Bunu UO, Obeagu GU, Habimana JB. Antioxidants in the management of sickle cell anaemia: an area to be exploited for the wellbeing of the patients. *International Research in Medical and Health Sciences*. 2023;6(4):12-7.
4. Obeagu EI, Ubosi NI, Uzoma G. Antioxidant Supplementation in Pregnancy: Effects on Maternal and Infant Health. *Int. J. Adv. Multidiscip. Res*. 2023;10(11):60-70.
5. Obeagu EI, Agreen FC. Anaemia among pregnant women: A review of African pregnant teenagers. *J Pub Health Nutri*. 2023; 6 (1). 2023;138. [links/63da799664fc860638054562/Anaemia-among-pregnant-women-A-review-of-African-pregnant-teenagers.pdf](https://doi.org/10.3329/epj.v6i1.63da799664fc860638054562/Anaemia-among-pregnant-women-A-review-of-African-pregnant-teenagers.pdf).
6. Obeagu EI, Ezimah AC, Obeagu GU. Erythropoietin in the anaemias of pregnancy: a review. *Int J Curr Res Chem Pharm Sci*. 2016;3(3):10-8. [links/5710fae108ae846f4ef05afb/ERYTHROPOIETIN-IN-THE-ANAEMIAS-OF-PREGNANCY-A-REVIEW.pdf](https://doi.org/10.3329/epj.v3i3.5710fae108ae846f4ef05afb/ERYTHROPOIETIN-IN-THE-ANAEMIAS-OF-PREGNANCY-A-REVIEW.pdf).
7. Agarwal A, Aponte-Mellado A, Premkumar BJ, Shaman A, Gupta S. The effects of oxidative stress on female reproduction: a review. *Reproductive biology and endocrinology*. 2012; 10:1-31.

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

8. Lappas M, Hiden U, Desoye G, Froehlich J, Mouzon SH, Jawerbaum A. The role of oxidative stress in the pathophysiology of gestational diabetes mellitus. *Antioxidants & redox signaling*. 2011;15(12):3061-3100.
9. Obeagu EI, Obeagu GU. Utilization of Antioxidants in the management of diabetes mellitus patients. *J Diabetes Clin Prac*. 2018;1(102):2.
10. Nwosu DC, Obeagu EI, Nkwocha BC, Nwanna CA, Nwanjo HU, Amadike JN, Elendu HN, Ofoedeme CN, Ozims SJ, Nwankpa P. Change in Lipid Peroxidation Marker (MDA) and Non enzymatic Antioxidants (VIT C & E) in HIV Seropositive Children in an Urban Community of Abia State. Nigeria. *J. Bio. Innov*. 2016;5(1):24-30.
11. Obeagu EI, Adepoju OJ, Okafor CJ, Obeagu GU, Ibekwe AM, Okpala PU, Agu CC. Assessment of Haematological Changes in Pregnant Women of Ido, Ondo State, Nigeria. *J Res Med Dent Sci*. 2021;9(4):145-8. [links/608a6728a6fdccaebdf52d94/Assessment-of-Haematological-Changes-in-Pregnant-Women-of-Ido-Ondo.pdf](https://doi.org/10.31838/jrm.v9i4.145-8).
12. Obeagu EI, Obeagu GU. Sickle Cell Anaemia in Pregnancy: A Review. *International Research in Medical and Health Sciences*. 2023 ;6(2):10-3. <http://irmhs.com/index.php/irmhs/article/view/111>.
13. Adwas AA, Elsayed A, Azab AE, Quwaydir FA. Oxidative stress and antioxidant mechanisms in human body. *J. Appl. Biotechnol. Bioeng*. 2019;6(1):43-47.
14. He L, He T, Farrar S, Ji L, Liu T, Ma X. Antioxidants maintain cellular redox homeostasis by elimination of reactive oxygen species. *Cellular Physiology and Biochemistry*. 2017;44(2):532-553.
15. Nwosu DC, Obeagu EI, Ezenwuba C, Agu GC, Amah H, Ozims SJ, Nwanjo HU, Edward A, Izuchukwu IF, Amadike JN, Nwagwu AJ. Antioxidant status of children with Plasmodium falciparum malaria in Owerri municipal council of Imo state. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2016;3(8):40-6.
16. Ezimah UA, Obeagu EI, Ezimah CO, Ezimah A, Nto NJ. Diarrhoeal diseases of acquired immunodeficiency syndrome stimulate more depletion of total antioxidant status. *Int. J. Adv. Multidiscip. Res*. 2016;3(4):23-25.
17. Aloh GS, Obeagu EI, Okoroiwu IL, Odo CE, Chibunna OM, Kanu SN, Elemchukwu Q, Okpara KE, Ugwu GU. Antioxidant-Mediated Heinz Bodies Levels of Sickle Erythrocytes under Drug-Induced Oxidative Stress. *European Journal of Biomedical and Pharmaceutical sciences*. 2015;2(1):502-507.
18. Prins JR, Schoots MH, Wessels JI, Campmans-Kuijpers MJ, Navis GJ, van Goor H, Robertson SA, van der Beek EM, Sobrevia L, Gordijn SJ. The influence of the dietary exposome on oxidative stress in pregnancy complications. *Molecular Aspects of Medicine*. 2022; 87:101098.
19. Nwakuilite A, Nwanjo HU, Nwosu DC, Obeagu EI. EVALUATION OF ENZYME ANTIOXIDANTS IN STREPTOZOCIN INDUCED DIABETIC RATS TREATED WITH MORINGA OLEIFERA LEAF POWDER. *European Journal of Biomedical*. 2020;7(11):285-8.
20. Ifeanyi OE. A review on free radicals and antioxidants. *Int. J. Curr. Res. Med. Sci*. 2018;4(2):123-133.

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

21. Akinpelu M, Gamade SM, Akinbo F, Adeniyi TD, Elizebeth AF, Obeagu EI. Histopathological and Biochemical Effect of Vitamin C and D on Phosphine-Induced Hepatotoxicity in Wistar Rats. *Asian Journal of Dental and Health Sciences*. 2023;3(2):18-22.
22. Nwakulite A, Obeagu EI, Eze R, Ugochi VE, Vincent CC, Okafor CJ, Chukwurah EF, Unaeze BC, Amaechi CO, Okwuanaso CB, Chukwuani U. Estimation of Serum Glutathione Peroxidase in Streptozotocin Induced Diabetic Rat Treated with Bitter Leaf Extract. *Journal of Pharmaceutical Research International*. 2021;33(30B):200-6.
23. Ortega Ávila JG, Echeverri I, de Plata CA, Castillo A. Impact of oxidative stress during pregnancy on fetal epigenetic patterns and early origin of vascular diseases. *Nutrition reviews*. 2015;73(1):12-21.
24. Ozougwu JC. The role of reactive oxygen species and antioxidants in oxidative stress. *International Journal of Research*. 2016;1(8):1-8.
25. Obeagu EI, Obeagu GU, Chukwueze CM, Ikpenwa JN, Ramos GF. Evaluation of Protein C, Protein S and Fibrinogen of Pregnant Women with Malaria in Owerri Metropolis. *Madonna University journal of Medicine and Health Sciences*. 2022;2(2):1-9.
26. Obeagu EI, Ikpenwa JN, Chukwueze CM, Obeagu GU. Evaluation of protein C, protein S and fibrinogen of pregnant women in Owerri Metropolis. *Madonna University Journal of Medicine and Health Sciences*. 2022;2(1):292-8. <https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/57>.
27. Ifeanyi OE, Stella EI, Favour AA. Antioxidants In the Management of Sickle Cell Anaemia. *Int J Hematol Blood Disord (Internet)* 2018 (cited 2021 Mar 4); 3. Available from: <https://symbiosisonlinepublishing.com/hematology/hematology25.php>. 2018 S.
28. Al-Gubory KH, Fowler PA, Garrel C. The roles of cellular reactive oxygen species, oxidative stress and antioxidants in pregnancy outcomes. *The international journal of biochemistry & cell biology*. 2010;42(10):1634-1650.
29. Silvestro S, Calcaterra V, Pelizzo G, Bramanti P, Mazzon E. Prenatal hypoxia and placental oxidative stress: Insights from animal models to clinical evidences. *Antioxidants*. 2020;9(5):414.
30. Hussain T, Murtaza G, Metwally E, Kalhoro DH, Kalhoro MS, Rahu BA, Sahito RG, Yin Y, Yang H, Chughtai MI, Tan B. The role of oxidative stress and antioxidant balance in pregnancy. *Mediators of Inflammation*. 2021; 2021:1-1.
31. Obeagu EI, Obeagu GU, Adepoju OJ. Evaluation of haematological parameters of pregnant women based on age groups in Olorunsogo road area of Ido, Ondo state. *J. Bio. Innov* 11 (3). 2022:936-941.
32. Obeagu EI. An update on utilization of antenatal care among pregnant Women in Nigeria. *Int. J. Curr. Res. Chem. Pharm. Sci*. 2022;9(9): 21-6. DOI: [10.22192/ijcrpps.2022.09.09.003](https://doi.org/10.22192/ijcrpps.2022.09.09.003)
33. Okoroiwu IL, Obeagu EI, Obeagu GU. Determination of clot retraction in pregnant women attending antenatal clinic in federal medical centre Owerri, Nigeria. *Madonna University Journal of Medicine and Health Sciences*. 2022;2(2):91-97. <https://madonnauniversity.edu.ng/journals/index.php/medicine/article/view/67>.

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

34. Obeagu EI, Hassan AO, Adepoju OJ, Obeagu GU, Okafor CJ. Evaluation of Changes in Haematological Parameters of Pregnant Women Based on Gestational Age at Olorunsogo Road Area of Ido, Ondo State. Nigeria. *Journal of Research in Medical and Dental Science*. 2021;9(12):462-.[links/61b1e32f0c4bfb675178bfa7/Evaluation-of-Changes-in-Haematological-Parameters-of-Pregnant-Women-Based-on-Gestational-Age-at-Olorunsogo-Road-Area-of-Ido-Ondo-State-Nigeria.pdf](https://doi.org/10.24327/2474-2999.202109120462).
35. Pisoschi AM, Pop A, Iordache F, Stanca L, Predoi G, Serban AI. Oxidative stress mitigation by antioxidants-an overview on their chemistry and influences on health status. *European Journal of Medicinal Chemistry*. 2021; 209:112891.
36. Ahmad S. Oxidative stress and antioxidant defenses in biology. Springer Science & Business Media; 2012.
37. Matés JM, Segura JA, Alonso FJ, Márquez J. Intracellular redox status and oxidative stress: implications for cell proliferation, apoptosis, and carcinogenesis. *Archives of toxicology*. 2008; 82:273-299.
38. Singh P, Kesharwani RK, Keservani RK. Antioxidants and vitamins: Roles in cellular function and metabolism. In *Sustained energy for enhanced human functions and activity* 2017: 385-407. Academic Press.
39. Cömert ED, Mogol BA, Gökmen V. Relationship between color and antioxidant capacity of fruits and vegetables. *Current Research in Food Science*. 2020; 2:1-0.
40. Jideani AI, Silungwe H, Takalani T, Anyasi TA, Udeh H, Omolola A. Antioxidant-rich natural grain products and human health. *Antioxidant-Antidiabetic Agents and Human Health*. Oguntibeju O ed., InTech Publisher. Rijeka, Croatia. 2014:167-187.
41. Gush L, Shah S, Gilani F. Macronutrients and micronutrients. In *A prescription for healthy living* 2021: 255-273. Academic Press.
42. Gao Y, Sheng C, Xie RH, Sun W, Asztalos E, Moddemann D, Zwaigenbaum L, Walker M, Wen SW. New perspective on impact of folic acid supplementation during pregnancy on neurodevelopment/autism in the offspring children—a systematic review. *PloS one*. 2016;11(11):e0165626.
43. Kar S, Wong M, Rogozinska E, Thangaratinam S. Effects of omega-3 fatty acids in prevention of early preterm delivery: a systematic review and meta-analysis of randomized studies. *European Journal of Obstetrics & Gynecology and Reproductive Biology*. 2016; 198:40-46.
44. Anyiam AF, Obeagu EI, Obi E, Omosigho PO, Ironi EA, Arinze-Anyiam OC, Asiyah MK. ABO blood groups and gestational diabetes among pregnant women attending University of Ilorin Teaching Hospital, Kwara State, Nigeria. *International Journal of Research and Reports in Hematology*. 2022 Jun 21;5(2):113-121.
45. Obeagu EI. Gestational Thrombocytopenia. *J Gynecol Women's Health*. 2023;25(3):556163. [links/64b01aa88de7ed28ba95fccb/Gestational-Thrombocytopenia.pdf](https://doi.org/10.24327/2474-2999.2023030556163).
46. Jakheng SP, Obeagu EI, Abdullahi IO, Jakheng EW, Chukwueze CM, Eze GC, Essien UC, Madekwe CC, Madekwe CC, Vidya S, Kumar S. Distribution Rate of Chlamydial Infection According to Demographic Factors among Pregnant Women Attending Clinics in Zaria

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. *Elite Journal of Health Science*, 2024; 2(5): 19-29

- Metropolis, Kaduna State, Nigeria. South Asian Journal of Research in Microbiology. 2022 Aug 9;13(2):26-31.
47. Obeagu EI, Ogbonna US, Nwachukwu AC, Ochiabuto O, Enweani IB, Ezeoru VC. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
 48. Obeagu EI, Ogunnaya FU. PREGNANCYINDUCED HAEMATOLOGICAL CHANGES: A KEY TO MARTERNAL AND CHILD HEALTH. European Journal of Biomedical. 2023;10(8):42-43. <links/64c890bddb38b20d6dad2c5c/PREGNANCY-INDUCED-HAEMATOLOGICAL-CHANGES-A-KEY-TO-MARTERNAL-AND-CHILD-HEALTH.pdf>.
 49. Ezeoru VC, Enweani IB, Ochiabuto O, Nwachukwu AC, Ogbonna US, Obeagu EI. Prevalence of Malaria with Anaemia and HIV status in women of reproductive age in Onitsha, Nigeria. Journal of Pharmaceutical Research International. 2021;33(4):10-19.
 50. Okamgba OC, Nwosu DC, Nwobodo EI, Agu GC, Ozims SJ, Obeagu EI, Ibanga IE, Obioma-Elemba IE, Ihekaire DE, Obasi CC, Amah HC. Iron Status of Pregnant and Post-Partum Women with Malaria Parasitaemia in Aba Abia State, Nigeria. Annals of Clinical and Laboratory Research. 2017;5(4):206. <links/5ea97df145851592d6a8acf2/Iron-Status-of-Pregnant-and-Post-Partum-Women-with-Malaria-Parasitaemia-in-Aba-Abia-State-Nigeria.pdf>.
 51. Swain N, Moharana AK, Jena SR, Samanta L. Impact of oxidative stress on embryogenesis and fetal development. InOxidative Stress and Toxicity in Reproductive Biology and Medicine: A Comprehensive Update on Male Infertility Volume II 2022: 221-241. Cham: Springer International Publishing.
 52. Obeagu EI, Obeagu GU, Musiimenta E. Post partum haemorrhage among pregnant women: Update on risks factors. Int. J. Curr. Res. Med. Sci. 2023;9(2): 14-17.DOI: <10.22192/ijcrms.2023.09.02.003>
 53. Obeagu EI, Obeagu GU, Ogunnaya FU. Deep vein thrombosis in pregnancy: A review of prevalence and risk factors. Int. J. Curr. Res. Chem. Pharm. Sci. 2023;10(8): 14-21.DOI: <10.22192/ijcreps.2023.10.08.002>
 54. Jakheng SP, Obeagu EI, Jakheng EW, Uwakwe OS, Eze GC, Obeagu GU, Vidya S, Kumar S. Occurrence of Chlamydial Infection Based on Clinical Symptoms and Clinical History among Pregnant Women Attending Clinics in Zaria Metropolis, Kaduna State, Nigeria. International Journal of Research and Reports in Gynaecology. 2022;5(3):98-105.
 55. Sebastiani G, Navarro-Tapia E, Almeida-Toledano L, Serra-Delgado M, Paltrinieri AL, García-Algar Ó, Andreu-Fernández V. Effects of antioxidant intake on fetal development and maternal/neonatal health during pregnancy. Antioxidants. 2022;11(4):648.
 56. Xia Y, Hong L, Zheng J, Lu Z, Zhang Q, Chen S, Pang Z, Li L, Qiao S, Wang Q, Zhou Y. Ulcerative colitis alleviation of colon-specific delivered rhamnolipid/fullerene nanocomposites via dual modulation in oxidative stress and intestinal microbiome. Journal of Materials Chemistry B. 2023;11(25):5882-5897.

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. Elite Journal of Health Science, 2024; 2(5): 19-29

Citation: Obeagu EI, Obeagu GU. Antioxidants and Gestational Diabetes Mellitus: A Comprehensive Review of Preventive Strategies. Elite Journal of Health Science, 2024; 2(5): 19-29